

L Number	Hits	Search Text	DB	Time stamp
1	0	6658454.pn. and header	USPAT	2004/05/03 05:41
2	1	6658454.pn. and header\$1	USPAT	2004/05/03 05:42
3	6139	header with (sender or source)	USPAT	2004/05/03 05:43
4	0	recevied with header with (sender or source)	USPAT	2004/05/03 05:43
5	86	adding with header with (sender or source)	USPAT	2004/05/03 05:44
6	0	email near10 adding with header with (sender or source)	USPAT	2004/05/03 05:44
7	23	receiv\$3 with adding with header with (sender or source)	USPAT	2004/05/03 06:01
8	4	receiver with adding with header with (sender or source)	USPAT	2004/05/03 05:46
9	1	6415329.pn. and remote	USPAT	2004/05/03 06:04
10	22650	remote with user	USPAT	2004/05/03 06:04
12	31	remote with user and defined with user near10 creat\$3 with (message\$1 or email\$1)	USPAT	2004/05/03 06:08
13	659	remote with user and defined with user and creat\$3 with (message\$1 or email\$1)	USPAT	2004/05/03 06:08
14	23	remote with user and defined with user and creat\$3 with (message\$1 or email\$1).ab.	USPAT	2004/05/03 06:14
15	1	6415329.pn. and message\$1	USPAT	2004/05/03 06:34
16	110	remote with user with send with message	USPAT	2004/05/03 06:34
17	1	remote with user with send with message and remote with user with access\$3 near10 defined with user	USPAT	2004/05/03 06:35
18	1	remote with user with send with message and remote with user with access\$3 near10 defined with user\$1	USPAT	2004/05/03 06:43
19	21	remote with user with send with message and user with receipt\$4	USPAT	2004/05/03 06:43
20	2	remote with user with send with message and user with receipt\$4 and remote with user near10 author\$6	USPAT	2004/05/03 06:44
21	21	remote with user with send with message and user with receipt\$4 and remote with user	USPAT	2004/05/03 06:52
22	1	remote with user with send with email\$1 and user with receipt\$4 and remote with user	USPAT	2004/05/03 06:58
23	1	6717513.pn. and remote with user	USPAT	2004/05/03 07:00
24	150268	6717513.pn. and password\$1 or id\$1	USPAT	2004/05/03 07:00
25	1	6717513.pn. and (password\$1 or id\$1)	USPAT	2004/05/03 07:01
26	1	6717513.pn. and (access\$5 or authori\$6)	USPAT	2004/05/03 07:53
27	1	6717513.pn. and log\$4	USPAT	2004/05/03 07:06
28	675	remote with user with authoriz\$5	USPAT	2004/05/03 07:06
29	10	remote with user with authoriz\$5 and (message\$1 or email\$1) with (send\$3 or sent) with user with receipt\$4	USPAT	2004/05/03 07:07
30	8	remote with user with authoriz\$5 and (message\$1 or email\$1) with (send\$3 or sent) with user with receipt\$4 and server	USPAT	2004/05/03 07:08
31	0	5867661.pn. and socket with gateway	USPAT	2004/05/03 07:53

32	1	5867661.pn. and socket with server	USPAT	2004/05/03 07:54
33	0	5867661.pn. and socket with source with address with server	USPAT	2004/05/03 07:54
34	6	socket with source with address with (server or gateway)	USPAT	2004/05/03 07:55
-	0	socket\$1 with bind\$3 near10 source	USPAT	2004/04/28 14:17
-	1	socket\$1 near10 bind\$3 near10 source	USPAT	2004/04/28 14:17
-	4880	socket\$1 near10 source	USPAT	2004/04/28 14:17
-	170	communicat\$3 with socket\$1 near10 source	USPAT	2004/04/28 14:17
-	0	communicat\$3 with socket\$1 near10 source near10 virtual.ab.	USPAT	2004/04/28 14:18
-	0	communicat\$3 with socket\$1 near10 source near10 virtual	USPAT	2004/04/28 14:18
-	0	communicat\$3 with socket\$1 near10 virtual with address\$2	USPAT	2004/04/28 14:18
-	34	communicat\$3 with socket\$1 near10 virtual	USPAT	2004/04/28 14:19
-	103	communicat\$3 with socket\$1 near10 address\$2	USPAT	2004/04/28 14:42
-	0	communicat\$3 with socket\$1 near10 address\$2 with virtual	USPAT	2004/04/28 14:19
-	17	communicat\$3 with socket\$1 near10 virtual with network	USPAT	2004/04/28 14:36
-	0	communicat\$3 with socket\$1 near10 address\$2 near10 securit\$3	USPAT	2004/04/28 14:21
-	1	communicat\$3 with socket\$1 near10 address\$2.ab.	USPAT	2004/04/28 14:21
-	21	709/20\$1.ccls. and communicat\$3 with socket\$1 near10 address\$2	USPAT	2004/04/28 14:23
-	0	709/20\$1.ccls. and socket\$1 near10 virtual with address\$2	USPAT	2004/04/28 14:23
-	6	709/20\$1.ccls. and socket\$1 near15 source near15 address\$2	USPAT	2004/04/28 14:23
-	5	709/20\$1.ccls. and socket\$1 near15 source near15 address\$2 not (709/20\$1.ccls. and communicat\$3 with socket\$1 near10 address\$2)	USPAT	2004/04/28 14:23
-	21	709/20\$1.ccls. and communicat\$3 with socket\$1 near10 address\$2 not (communicat\$3 with socket\$1 near10 virtual with address\$2)	USPAT	2004/04/28 14:24
-	9	socket\$1 near10 virtual with address\$2	USPAT	2004/04/28 14:36
-	5	709/245.ccls. and communicat\$3 with socket\$1 near10 address\$2	USPAT	2004/04/28 14:39
-	19	709/245.ccls. and socket\$1 near10 address\$2	USPAT	2004/04/28 14:39
-	3	709/245.ccls. and socket\$1 near10 address\$2 and identit\$3	USPAT	2004/04/28 14:40
-	1	709/245.ccls. and socket\$1 near10 identit\$3	USPAT	2004/04/28 14:40
-	1	709/\$3.ccls. and communicat\$3 with socket\$1 near10 address\$2.ab.	USPAT	2004/04/28 14:42
-	45	709/\$3.ccls. and communicat\$3 with socket\$1 near10 address\$2	USPAT	2004/04/28 15:47
-	1	709/\$3.ccls. and communicat\$3 with socket\$1 near10 bind\$3 with address\$2	USPAT	2004/04/28 14:49
-	515	709/\$3.ccls. and socket\$1 near10 connection\$1	USPAT	2004/04/28 15:48
-	20	709/\$3.ccls. and socket\$1 near10 connection\$1.ab.	USPAT	2004/04/28 15:49
-	20	709/\$3.ccls. and socket\$1 near10 connection\$1.ab. and socket\$1	USPAT	2004/04/28 15:53
-	21	709/\$3.ccls. and socket\$1 near10 connection\$1 and spoofing	USPAT	2004/04/28 15:53
-	4	709/\$3.ccls. and socket\$1 near10 connection\$1 and spoofing.ab.	USPAT	2004/04/28 15:56

-	8	709/\$3.ccls. and socket\$1 near10 connection\$1 and ip with spoofing	USPAT	2004/04/28 16:06
-	0	709/\$3.ccls. and email with server near15 socket\$1 near10 connection\$1	USPAT	2004/04/28 16:06
-	258	709/\$3.ccls. and server near15 socket\$1 near10 connection\$1	USPAT	2004/04/28 16:11
-	7	709/\$3.ccls. and server near15 socket\$1 near10 connection\$1.ab.	USPAT	2004/04/28 16:12
-	0	709/\$3.ccls. and server near15 socket\$1 near10 connection\$1.ab.and source with address\$2	USPAT	2004/04/28 16:13
-	41	709/\$3.ccls. and server near15 socket\$1 near10 connection\$1 and source with address\$2	USPAT	2004/04/28 16:13
-	6	709/\$3.ccls. and server near15 socket\$1 near10 connection\$1 and source with address\$2 near10 socket\$1	USPAT	2004/04/28 16:15
-	1213	709/\$3.ccls. and bind\$3 source with address\$2 near10 socket\$1	USPAT	2004/04/28 16:15
-	1	709/\$3.ccls. and bind\$3 near15 source with address\$2 near10 socket\$1	USPAT	2004/04/28 16:16
-	42	709/\$3.ccls. and bind\$3 near15 address\$2 near10 socket\$1	USPAT	2004/04/28 16:17
-	0	709/\$3.ccls. and bind\$3 near15 address\$2 near10 socket\$1.ab.	USPAT	2004/04/28 16:16
-	7	709/\$3.ccls. and bind\$3 near15 address\$2 near10 socket\$1 and spoof\$3	USPAT	2004/04/28 16:17
-	35	709/\$3.ccls. and bind\$3 near15 address\$2 near10 socket\$1 not (709/\$3.ccls. and bind\$3 near15 address\$2 near10 socket\$1 and spoof\$3)	USPAT	2004/04/28 16:17
-	1	6567848.pn. and socket\$1	USPAT	2004/04/29 13:54
-	811	socket\$1 with host	USPAT	2004/04/29 13:54
-	2	socket\$1 with host.ti.	USPAT	2004/04/29 13:54
-	2	socket\$1 with host.ti. and socket\$1	USPAT	2004/04/29 13:57
-	0	socket\$1 with host.ti. and socket\$1 and remote	USPAT	2004/04/29 13:55
-	2	socket\$1 with host.ti. and socket\$1 and host	USPAT	2004/04/29 13:59
-	1	socket\$1 with host near10 remote.ab.	USPAT	2004/04/29 14:01
-	36	socket\$1 with host near2 server	USPAT	2004/04/29 14:01
-	1	socket\$1 with host near2 server.ab.	USPAT	2004/04/29 14:23
-	2	709/245.ccls. and socket\$1 with host near2 server	USPAT	2004/04/29 14:23
-	36	socket\$1 with host near2 server	USPAT	2004/04/29 14:24
-	27	socket\$1 with host near2 server and remote	USPAT	2004/04/29 14:24
-	9	socket\$1 with host near2 server and remote near3 client\$1	USPAT	2004/04/29 14:28
-	9	socket\$1 with host near2 server and remote near3 client\$1 and socket\$1	USPAT	2004/04/29 15:01
-	9	socket\$1 with host near2 server and remote near3 client\$1 and socket\$1 and socket with address\$2	USPAT	2004/04/29 15:02
-	9	socket\$1 with host near2 server and remote near3 client\$1 and socket\$1 and socket with client with address\$2	USPAT	2004/04/29 15:02
-	7	socket\$1 with host near2 server and remote near3 client\$1 and socket\$1 and socket with client near3 address\$2	USPAT	2004/04/29 15:19
-	0	socket\$1 with multiple with host near2 server and remote near3 client\$1 and socket\$1 and socket with client near3 address\$2	USPAT	2004/04/29 15:12

-	0	socket\$1 with client near3 address\$2.ti.	USPAT	2004/04/29 15:14
-	0	socket\$1 with address\$2.ti.	USPAT	2004/04/29 15:14
-	4	socket\$1 with client near3 address\$2.ab.	USPAT	2004/04/29 15:15
-	4	socket\$1 with client near3 address\$2.ab.and remote	USPAT	2004/04/29 15:15
-	1	5825890.pn. and socket\$1	USPAT	2004/04/29 15:24
-	1	5825890.pn. and socket\$1 and address\$2	USPAT	2004/04/29 15:27
-	30	host with behalf with client\$1	USPAT	2004/04/29 15:27
-	8	host with behalf with client\$1 and socket\$1	USPAT	2004/04/29 15:28
-	1	host with behalf with client\$1 and socket\$1 near15 address\$2	USPAT	2004/04/29 15:30
-	40	behalf with client\$1 and socket\$1 near15 address\$2	USPAT	2004/04/29 15:31
-	4	behalf with client\$1 and socket\$1 near15 address\$2 near15 remote	USPAT	2004/04/29 15:33
-	10	creat\$3 near6 socket\$1 near20 address\$2 with client	USPAT	2004/04/29 15:34
-	0	creat\$3 near6 socket\$1 near20 address\$2 with client.ab.	USPAT	2004/04/29 15:34
-	0	creat\$3 near6 socket\$1 near20 address\$2 with client.ti.	USPAT	2004/04/29 15:34
-	5	creat\$3 near6 socket\$1 near20 address\$2 with client and host	USPAT	2004/04/29 15:34
-	1	creat\$3 near6 socket\$1 near20 address\$2 with client and (host or server) with behalf near10 client\$1	USPAT	2004/04/29 15:35
-	10	creat\$3 near6 socket\$1 near20 address\$2 with client and (host or server)	USPAT	2004/04/29 15:37
-	4	creat\$3 near6 socket\$1 near20 address\$2 with client and (host or server)near10 remote near15 socket\$1	USPAT	2004/04/29 15:42
-	4	creat\$3 near6 socket\$1 near20 address\$2 with client and (host or server)near10 remote near15 socket\$1 and socket\$1 with address\$2	USPAT	2004/04/29 15:48
-	3	creat\$3 near6 socket\$1 near15 gateway	USPAT	2004/04/29 15:55
-	2	creat\$3 near6 socket\$1 near15 gateway and socket near15 address\$2	USPAT	2004/04/29 16:25
-	2	creat\$3 near6 socket\$1 near15 gateway and socket near15 address\$2 and socket\$1	USPAT	2004/04/29 19:47
-	1	6415329.pn. and multiple	USPAT	2004/04/29 21:38
-	1	6415329.pn. and domain\$1	USPAT	2004/04/29 21:55
-	1	6415329.pn. and (OS or (operating with system\$1))	USPAT	2004/04/29 22:14
-	0	6415329.pn. and accept	USPAT	2004/04/29 22:14
-	1	6415329.pn. and accept\$5	USPAT	2004/04/29 22:35
-	1	6415329.pn. and (queue\$1 or buffer\$1)	USPAT	2004/04/29 22:39
-	1	6415329.pn. and (queue\$1 or buffer\$1)	USPAT	2004/04/29 22:56
-	1	6119170.pn. and (queue\$1 or buffer\$1)	USPAT	2004/04/29 22:56
-	0	creat\$3 with socket\$1 near10 address\$2 near6 (host or server or gateway).ab.	USPAT	2004/04/30 11:13
-	15	creat\$3 with socket\$1 near10 address\$2 near6 (host or server or gateway)	USPAT	2004/04/30 11:19
-	15	creat\$3 with socket\$1 near10 address\$2 near6 (host or server or gateway)and socket	USPAT	2004/04/30 11:33

-	3	creat\$3 with socket\$1 near10 network.ab.	USPAT	2004/04/30 11:35
-	0	creat\$3 with socket\$1 near10 gateway.ab.	USPAT	2004/04/30 11:35
-	3	creat\$3 with socket\$1 near10 multi\$6 with host\$1	USPAT	2004/04/30 11:36
-	6	creat\$3 with socket\$1 near10 remote with host\$1	USPAT	2004/04/30 11:37
-	1	creat\$3 with socket\$1 near10 remote with host\$1 near10 (server or gateway)	USPAT	2004/04/30 11:37
-	1	creat\$3 with socket\$1 near10 behalf near10 (host\$1 or client\$1)	USPAT	2004/04/30 11:42
-	1	creat\$3 with socket\$1 near10 behalf near10 (host\$1 or client\$1) and socket	USPAT	2004/04/30 11:43
-	0	creat\$3 with socket\$1 near10 behalf near10 (*server or gateway)	USPAT	2004/04/30 11:43
-	1	creat\$3 with socket\$1 near10 behalf near10 (server or gateway)	USPAT	2004/04/30 11:44
-	1	6415329.pn.	USPAT	2004/04/30 11:44
-	21	("4491947" "4677588" "5159592" "5224098" "5423002" "5442633" "5537412" "5572530" "5623601" "5640386" "5673322" "5852721" "5883661" "6092191" "6101189" "6115384" "6157950" "6198728" "6215776" "6249523" "6259701").PN.	USPAT	2004/04/30 11:44
-	7	6415329.URPN.	USPAT	2004/04/30 11:44
-	0	6415329.URPN.and socket	USPAT	2004/04/30 11:44
-	2	("4491947" "4677588" "5159592" "5224098" "5423002" "5442633" "5537412" "5572530" "5623601" "5640386" "5673322" "5852721" "5883661" "6092191" "6101189" "6115384" "6157950" "6198728" "6215776" "6249523" "6259701").PN.and socket	USPAT	2004/04/30 11:45
-	1	("4491947" "4677588" "5159592" "5224098" "5423002" "5442633" "5537412" "5572530" "5623601" "5640386" "5673322" "5852721" "5883661" "6092191" "6101189" "6115384" "6157950" "6198728" "6215776" "6249523" "6259701").PN.and socket and address\$2	USPAT	2004/04/30 11:46
-	53	socket near10 (host or client) near10 remote with (host or client)	USPAT	2004/04/30 11:47
-	1	socket near10 (host or client) near10 remote with (host or client).ab.	USPAT	2004/04/30 11:48
-	83	(server or gateway)near10 manag\$7 near10 socket	USPAT	2004/04/30 11:48
-	3	(server or gateway)near10 manag\$7 near10 socket near10 remote	USPAT	2004/04/30 11:50
-	3	(server or gateway)near10 manag\$7 near10 socket near10 remote and socket	USPAT	2004/04/30 11:50
-	41	creat\$3 with socket\$1 near10 (connect\$3 or between) with (network\$1 or gateway\$1)	USPAT	2004/04/30 12:11
-	16	creat\$3 with socket\$1 near10 (connect\$3 or between) with (network\$1 or gateway\$1) and socket near15 address\$2	USPAT	2004/04/30 12:14
-	1	creat\$3 with socket\$1 near10 (connect\$3 or between) with (network\$1 or gateway\$1) and socket near15 address\$2 with gateway\$1	USPAT	2004/04/30 12:15
-	4	creat\$3 with socket\$1 near10 (connect\$3 or between) with (network\$1 or gateway\$1) and socket near15 address\$2 near10 (server or gateway\$1)	USPAT	2004/04/30 12:15
-	321047	creat\$3 with socket\$1 near10 first with remote and second remote	USPAT	2004/04/30 12:42

-	1	creat\$3 with socket\$1 near10 first with remote and second with remote and address\$2	USPAT	2004/04/30 12:42
-	2	creat\$3 with socket\$1 near10 first with remote and second with remote	USPAT	2004/04/30 12:44
-	5	creat\$3 with socket\$1 near10 first with remote	USPAT	2004/04/30 12:57
-	3	creat\$3 with socket\$1 near10 first with remote with (client or host or computer)	USPAT	2004/04/30 12:45
-	3	creat\$3 with socket\$1 near10 multi\$6 with remote	USPAT	2004/04/30 12:46
-	0	(server or gateway) near6 creat\$3 with socket\$1 near10 first with remote	USPAT	2004/04/30 12:58
-	9	(server or gateway) near6 creat\$3 with socket\$1 with remote	USPAT	2004/04/30 12:58
-	0	(server or gateway) near6 creat\$3 with socket\$1 with remote.ab.	USPAT	2004/04/30 12:58
-	9	(server or gateway) near6 creat\$3 with socket\$1 with remote and address	USPAT	2004/04/30 13:42
-	9	(server or gateway) near6 creat\$3 with socket\$1 with remote and address and socket	USPAT	2004/04/30 14:11
-	1	6425013.URPN.	USPAT	2004/04/30 13:49
-	48	socket\$1 with remote and source with address and socket	USPAT	2004/04/30 14:11
-	11	(gateway or server) with socket\$1 with remote and source with address and socket	USPAT	2004/04/30 15:05
-	1	(gateway or server) with source with address with socket and socket\$1 with remote	USPAT	2004/04/30 14:46
-	13	socket\$1 with remote and (gateway or server) with source with address and socket	USPAT	2004/04/30 15:05
-	13	socket\$1 with remote and (gateway or server) with source with address and socket not (creat\$3 with socket\$1 near10 first with remote and second with remote)	USPAT	2004/04/30 15:39
-	7	socket near10 source with address\$2 with (gateway or server)	USPAT	2004/04/30 15:50
-	63	socket near10 (gateway or server) with remote	USPAT	2004/04/30 15:50
-	1	socket near10 (gateway or server) with remote and source with address with (gateway or server)	USPAT	2004/04/30 16:29
-	1	6324582.pn. and domain	USPAT	2004/04/30 16:34
-	1	6324582.pn. and domain and (queue or buffer)	USPAT	2004/04/30 16:36
-	0	tempor\$6 with queu\$5 with email\$1	USPAT	2004/04/30 16:37
-	121784	tempor\$6 with queu\$5 with email\$1 or message\$!	USPAT	2004/04/30 16:37
-	243	tempor\$6 with queu\$5 with (email\$1 or message\$1)	USPAT	2004/04/30 16:37
-	243	tempor\$6 with queu\$5 with message\$1	USPAT	2004/04/30 16:37
-	0	tempor\$6 with queu\$5 with outgoing with message\$1.ab.	USPAT	2004/04/30 16:38
-	10	tempor\$6 with queu\$5 with outgoing with message\$1	USPAT	2004/04/30 16:39
-	206	unique with domain with name	USPAT	2004/04/30 16:40
-	4	unique with domain with name.ab.	USPAT	2004/04/30 16:48
-	1	6658454.pn. and domain	USPAT	2004/04/30 16:44
-	3	virtual near10 remote near10 host with domain with name	USPAT	2004/04/30 16:56
-	1	6119170.pn. and (os or operating)	USPAT	2004/04/30 16:57

-	1	6415329.pn. and (os or operating)	USPAT	2004/04/30 17:02
-	1	6415329.pn. and user\$1	USPAT	2004/04/30 17:05
-	3	remote with user\$1 with (creat\$3 or send\$3) near10 message near10 gateway	USPAT	2004/04/30 17:08
-	0	remote with user\$1 with access\$3 with computer	USPAT	2004/04/30 17:09
-	1106	remote with user\$1 with access\$3 with computer	USPAT	2004/04/30 17:09
-	4	remote with user\$1 with access\$3 with computer near15 creat\$3 with (message or email)	USPAT	2004/04/30 17:11
-	1	6415329.pn. and remote with access\$3	USPAT	2004/04/30 17:12
-	3645	user with remote with access\$3	USPAT	2004/04/30 17:15
-	7	add\$3 near10 received with email	USPAT	2004/04/30 17:17
-	0	add\$3 near10 received with email\$1 near10 (source or sender)	USPAT	2004/04/30 17:17
-	8	add\$3 near10 received with email\$1	USPAT	2004/04/30 17:22
-	357	add\$3 near10 (email\$1 or message\$1)near10 (source or sender)	USPAT	2004/04/30 17:23
-	1	add\$3 near10 (arrived or received) near10(email\$1 or message\$1)near10 (source or sender).ab.	USPAT	2004/04/30 17:24
-	51	add\$3 near10 (arrived or received) near10(email\$1 or message\$1)near10 (source or sender)	USPAT	2004/04/30 18:26
-	4	("5093918" "5377354" "5619648" "5826022").PN.	USPAT	2004/04/30 17:30
-	36153	without with bind\$3	USPAT	2004/04/30 18:27
-	1	without with bind\$3 with address\$2 with socket	USPAT	2004/04/30 18:28
-	67	without with bind\$3 with socket	USPAT	2004/04/30 18:28
-	67	without with bind\$3 with socket	USPAT	2004/04/30 18:28
-	4	without with bind\$3 with socket.ab.	USPAT	2004/04/30 18:29
-	52	without with bind\$3 near10 address\$2	USPAT	2004/04/30 18:29
-	1	without with bind\$3 near10 address\$2 near10 socket	USPAT	2004/04/30 18:30
-	38	without with bind\$3 near10 socket	USPAT	2004/04/30 18:31
-	0	"not" with bind\$3 near10 socket	USPAT	2004/04/30 18:31
-	0	"not" with bind\$3 near10 address\$2	USPAT	2004/04/30 18:31
-	1442	bind\$3 near10 address\$2	USPAT	2004/04/30 18:31
-	53	bind\$3 near10 address\$2 near10 socket	USPAT	2004/04/30 18:33
-	1	without near10 bind\$3 near10 address\$2 near10 socket	USPAT	2004/04/30 18:34
-	53	bind\$3 near10 address\$2 near10 socket	USPAT	2004/04/30 18:35
-	32867	without near15 bind\$3	USPAT	2004/04/30 18:36
-	1	without near15 bind\$3 near10 address\$2 near10 socket	USPAT	2004/04/30 18:36
-	50	without near15 bind\$3 near10 address\$2	USPAT	2004/04/30 18:47
-	1	sendmail.ab.	USPAT	2004/04/30 18:47
-	1	sendmail\$2.ab.	USPAT	2004/04/30 18:47

-	0	sendmail\$1.ti.	USPAT	2004/04/30 18:48
-	15	sendmail\$1 and add\$3 near15 (email\$1 or message\$1) near15 (receive\$2 or sent or source or sender)	USPAT	2004/04/30 18:49
-	140	sendmail\$1	USPAT	2004/04/30 18:50